

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.


Listing of Claims:

1-11. (Canceled)

12. (New) A low shrinking polymerizable or crosslinkable dental composition comprising a mixture of:

(1) at least one crosslinkable and/or polymerizable silicone oligomer or polymer which is liquid at room temperature or which is heat-meltable at a temperature of less than 100°C, and which comprises:

at least one unit of formula (FS):



wherein:


a = 0, 1 or 2,

R⁰, identical or different, represents an alkyl, cycloalkyl, aryl, vinyl, hydrogen or alkoxy radical,

Z, identical or different, is an organic substituent comprising at least one reactive epoxy, or alkenyl ether or oxetane or dioxolane or carbonate functional group,

and at least two silicon atoms,

(2) at least one aromatic hydrocarbon photosensitizer, having a residual light absorption of between 200 and 500 nm, and selected from the group consisting of the following formulae (VIII), (X), (XII) and (XXII):
thioxanthonones of formula (VIII):




wherein:

$m = 0$ to 8,


R^{17} , identical or different substituent(s) on the aromatic nucleus (nuclei), represent a linear C1-C12 alkyl radical, a branched C1-C12 alkyl radical, a C6-C12 cycloalkyl radical, a radical Ar^1 , a halogen atom, an $-OH$, $-CN$, $-NO_2$, $-COOR^6$, $-CHO$, $Ophenyl$, $-CF_3$, $-SR^6$, $-Sphenyl$, $-SO_2phenyl$, $Oalkenyl$, or $-SiR^6_3$ group;

xanthonones of formula (X):




wherein $p = 0$ to 8

anthracene of formula (XII):



wherein = 0 to 10, and

biscoumarins of formula (XXII):




wherein:

R^{18} , identical or different, has the same meaning as R^{17} above or represents a group:


$-NR_6$, wherein R_6 represents a linear C1-C12 alkyl radical,

(3) at least one dental filler present in a proportion of at least 10% by weight relative to the total weight of the composition, and

(4) an effective quantity of at least one borate-type photoinitiator, whose cationic entity of the borate is:



wherein the cationic entity of the borate is:




and





wherein the composition has a volumetric polymerization and/or crosslinking shrinkage of less than 1.5% v/v.

13. (New) The dental composition as claimed in claim 12, wherein Z is an organic substituent Z1 comprising at least one reactive epoxy, or dioxolane functional group.

14. (New) The dental composition as claimed claim 13, wherein the reactive functional group Z1 is:



15. (New) The dental composition as claimed in claim 12, wherein the photoinitiator is:



16. (New) The dental composition as claimed in claim 12, wherein the photosensitizer of formula (XXII) is 3,3'-carbonylbis(7-diethylaminocoumarin) or 3,3'-carbonylbis(7-methoxycoumarin).

17. (New) A process for the preparation of a dental prosthesis or dental restoration, comprising the step of using a dental composition as defined in claim 12.